

# STANDARD PAGE - FLEET VEHICLES 8475

(Use separate page for each package)

|   |  |                                     |
|---|--|-------------------------------------|
| <b>DEALER NAME: RENO * BUICK * GMC * CADILLAC* &amp; *ISUZU* MEDIUM DUTY TRUCKS</b>                         |  |                                     |
| <b>Specify State's Vehicle Item Number: 2.13 3/4 Ton Crew Cab 6.5' bed</b>                                  |  |                                     |
| <b>Provide MSRP pricing: \$42,295</b>   |  |                                     |
| <b>Specify MANUFACTURER,<br/>MODEL NAME, YEAR &amp; BODY MODEL CODE:</b>                                    | <b>Base Price for<br/>RENO/CARSON CITY</b> | <b>Base Price for<br/>LAS VEGAS</b> |
| <b>2022 GMC Sierra 3/4 Ton Crew Cab<br/>Standard Bed TC20743</b>  | <b>32,366.00</b>                           | <b>\$32,866.00</b>                  |
| <b>Municipal Lease Payment (As Low As) \$ See dealer for terms and details.</b>                             |  |                                     |
| <b>State vehicle miles per gallon (MPG): Estimate: Over 8600 GVWR / Not Rated</b>                           |  |                                     |
| <b>State manufactures warranty: Bumper to Bumper 3yr/36K miles --- PowerTrain 5 yr / 100K miles</b>         |  |                                     |
| <b>Engine size: &amp; emission rating: 6.6L V8 (401 HP) Fed Emissions</b>                                   |  |                                     |
| <b>Includes Minimum Standard Equipment Listed: ___Yes ___X___No If no, state exceptions:</b>                |  |                                     |
| <b>(Refer to page 6 of bid) C/D Player not available.\\\\\\\\Standard Equipment Includes The Following:</b> |  |                                     |
| <b>Audio system, GMC Infotainment System with 7" diagonal color touchscreen</b>                             |  |                                     |
| <b>AM/FM stereo with seek-and-scan and digital clock, includes Bluetooth</b>                                |  |                                     |
| <b>featuring Android Auto and Apple CarPlay capability for compatible phones.</b>                           |  |                                     |
| <b>Differential, heavy-duty locking rear.</b>   |  |                                     |
| <b>Auxiliary External Engine &amp; Transmission Coolers,4 Moveable Cargo Bed Tiedowns,</b>                  |  |                                     |
| <b>170 Amp Alternator, Cruise Control, 10 Ply Tires, Front Recovery Hooks,</b>                              |  |                                     |
| <b>Rear Corner Step Bumper, Power windows, Power Door Locks</b>   |  |                                     |
| <b>Exterior Color: List available colors: , (GAZ) SUMMIT WHITE No Charge</b>                                |  |                                     |
| <b>Extra cost paints:</b>   |  |                                     |
| <b>Quick Silver Metallic (GAN) \$595 Pacific Blue Metallic (GAO) \$595</b>                                  |  |                                     |
| <b>Forest Metallic (GHR) \$595</b>  |  |                                     |
| <b>Cardinal Red (G7C) \$595 Onyx Black (GBA) \$595</b>  |  |                                     |
| <b>Available Srecial Paint (TGK) available in quantities of 5 or more \$550</b>                             |  |                                     |
| <b>see dealer for details</b>   |  |                                     |
| <b>Seats, Cloth: List available colors:</b>   |  |                                     |
| <b>(H1T) Jet Black / Cloth Seat Trim</b>  |  |                                     |
| <b>(H2G) Jet Black / Vinyl Seat Trim</b>  |  |                                     |
| <b>(HOU) Jet Black Cloth Seat Trim (Requires ZL2 Fleet Onnvience PKG)</b>                                   |  |                                     |
| <b>WHEELBASE: 158.94"</b>   |  |                                     |
| <b>GVW: 10,150 lbs (Gas 4x2) 11,800 (Duramax 4x2)</b>   |  |                                     |
| <b>GVW: 10,650 (Gas 4x4) 11,300 (Duramax 4x4)</b>   |  |                                     |
| <b>(When Applicable)</b>  |  | <b>(When Applicable)</b>            |

## OPTION PACKAGE PAGE ~ FLEET

(Use separate page for each package)

|  |  |  |  |  |            |  |                   |
|--|--|--|--|--|------------|--|-------------------|
| <b>DEALER NAME: RENO * BUICK * GMC * CADILLAC* &amp; *ISUZU* MEDIUM DUTY TRUCKS</b>            |  |  |  |  |            |  |                   |
| <b>Specify State's Vehicle Item Number: 2.13 3/4 Ton Crew Cab 6.5' bed</b>                     |  |  |  |  |            |  |                   |
|  |  |  |  |  |            |  |                   |
| <b>Option Package Name/Code:</b>   |  | <b>Cruise Control</b>                  |  |  | <b>K34</b> |  | <b>\$198.00</b>   |
| List Equipment Features Below: No Longer Standatd on 1SA Sierra Trucks                         |  |  |  |  |            |  |                   |
| As a single option or included in (ZLQ) or (PCI) package below                                 |  |  |  |  |            |  |                   |
|  |  |  |  |  |            |  |                   |
| <b>Option Package Name/Code:</b>   |  | <b>Fleet Convenience Pkg</b>           |  |  | <b>ZLQ</b> |  | <b>\$769.00</b>   |
| List Equipment Features Below:   |  |  |  |  |            |  |                   |
| (AQQ) Remote Keyless Entry, (K34) cruise control (QT5) EZ Lift power lock and release tailgate |  |  |  |  |            |  |                   |
| and (DBG) outside power-adjustable vertical trailering mirrors with heated upper glass         |  |  |  |  |            |  |                   |
| Replaces Standard Non Power Verticle Trailering Mirrors. (DUD)                                 |  |  |  |  |            |  |                   |
|  |  |  |  |  |            |  |                   |
| <b>Option Package Name/Code:</b>   |  | <b>Convenience Package</b>             |  |  | <b>PCI</b> |  | <b>\$1,253.00</b> |
| List Equipment Features Below:   |  |  |  |  |            |  |                   |
| (AQQ) Remote Keyless Entry, (QT5) EZ Lift power lock and release tailgate, (AKO) tinted glass  |  |  |  |  |            |  |                   |
| (UF2) LED cargo bed lighting, (C49) rear-window defogger, (DBG) outside power-adjustable       |  |  |  |  |            |  |                   |
| vertical trailering with heated upper glass and (K34) cruise control                           |  |  |  |  |            |  |                   |
| Replaces Standard Non Power Verticle Trailering Mirrors. (DUD)                                 |  |  |  |  |            |  |                   |
|  |  |  |  |  |            |  |                   |
| <b>Option Package Name/Code:</b>   |  | <b>1SA Driver Alert Package</b>        |  |  | <b>PQA</b> |  | <b>\$2,925.00</b> |
| List Equipment Features Below: Requires and Includes PCI package content                       |  |  |  |  |            |  |                   |
| (UD5) Front and Rear Park Assist, (UKC) Lane Change Alert with Side Blind Zone Alert           |  |  |  |  |            |  |                   |
| Defogger, rear-window electric, Trailer brake controller, integrated, Rear Cross Traffic Alert |  |  |  |  |            |  |                   |
| and (UFG) Rear Cross Traffic Alert (Includes Perimeter Lighting. Includes (PCI) Pkg            |  |  |  |  |            |  |                   |
|  |  |  |  |  |            |  |                   |
| <b>Option Package Name/Code:</b>   |  | <b>GMC MultiPro Tailgate</b>           |  |  | <b>QK2</b> |  | <b>\$495.00</b>   |
| List Equipment Features Below:   |  |  |  |  |            |  |                   |
| Six functional load/access features (Requires (PCI) Package or (ZLQ) Package                   |  |  |  |  |            |  |                   |
|  |  |  |  |  |            |  |                   |
| <b>Option Package Name/Code:</b>   |  | <b>Manual Particulate Filter Regen</b> |  |  | <b>FPF</b> |  | <b>\$350.00</b>   |
| List Equipment Features Below: Requires Duamax Diesel L5P                                      |  |  |  |  |            |  |                   |
| diesel particulate filter, manual regeneration   |  |  |  |  |            |  |                   |
|  |  |  |  |  |            |  |                   |
| <b>Option Package Name/Code:</b>   |  | <b>Snow Plow Prep Pkg (4X4 only)</b>   |  |  | <b>VYU</b> |  | <b>\$395.00</b>   |
| List Equipment Features Below:   |  |  |  |  |            |  |                   |
| 220 Amp Alternator, Power Provided For Back-Up Lamps and Roof Beacon, Additional Circuit For   |  |  |  |  |            |  |                   |
| Power Feed For Additional Requirements, Under Body Shield & HD Front Suspension                |  |  |  |  |            |  |                   |

|  |
|--|
|  |
|--|

## ITEMIZED OPTION PAGE ~ FLEET

(Use separate page for each package)

|   |
|---|
| <b>DEALER NAME:</b> <b>RENO * BUICK * GMC * CADILLAC* &amp; *ISUZU* MEDIUM DUTY TRUCKS</b>    |
| <b>Specify State's Vehicle Item Number:</b> <b>2.13    3/4 Ton Crew Cab 6.5' bed</b>          |
| Please Call For "Not Listed" Options & Possible Multiple Quantity Vehicle Purchase Discounts. |

**DEDUCT AMOUNT**

|  |                    |     |
|--|--------------------|-----|
| ABS Brake System   | Included           | \$- |
| Air Conditioning   | Included           | \$- |
| Cruise Control   | \$198.00           | \$- |
| Diesel Engine (LP5) Duramax 10 Speed Allison                                   | \$9,046.00         | \$- |
| Duramax Includes Trailer Brake (JL1)   |                    | \$- |
| Duramax Includes 220 Amp Alternator  |                    | \$- |
| Engine Block Heater      K05              GAS                                  | \$88               | \$- |
| Four Wheel Drive (4x4)   | \$1,964.00         | \$- |
| Dual HD Alternator (KHF) 220 & 170 Amp   | \$454.00           |     |
| HD Alternator (KW5) 220 amp (Req Gas Engine)                                   | \$251.00           | \$- |
| Trailer Hitch w/ 7 & 4 Pin Connectors (CTT)                                    | Included           | \$- |
| Trailer Brake Control (Req w/Duramax)(JL1)                                     | \$242.00           | \$- |
| Trailer Wiring Provisions (UY2) Extra Wiring                                   | \$35.00            | \$- |
| Keyless Entry w/Fob  | See PCI or ZLQ Pkg | \$- |
| Limited Slip Differential  | Included           | \$- |
| Spray In Bed Liner   | \$480.00           |     |
| High Visibility Trailering Mirrors (DUD)                                       | Included           |     |
| Power Windows (Crew & Double Cab)  | Included           | \$- |
| Deep Tinted Glass (AKO)  | \$200.00           | \$- |
| Radio; AM/FM Stereo, CD  | Included w/no CD   | \$- |
| Rear Park Assist (see PQA Driver Alert PKG                                     | see PQA Pkg        | \$- |
| Rear Vision Camera (Back-up Camera)  | Included w/ Pickup | \$- |
| Under Body Shield (NZZ) Req 4x4  | \$195              | \$- |
| Assist Steps (Black) Running Boards (VQO)                                      | \$518              | \$- |
| Assist Steps (Chrome) 4" Round (VXJ))  | \$799              | \$- |
| Tilt Steering  | Included           | \$- |
| Tire, Spare, Full Size   | Included           | \$- |
| Carpeted Flooring (B30) Inc. (B30)   | \$108.00           |     |
| Upfitter Switch Kit (5 Aux on dash)  | \$182.00           |     |
| All Terrain Tires (10 Ply) (QXT)   | \$295.00           |     |
| 2 Extra Keys includes programming  | \$99.00            |     |
| Other:      See Next Page for additional Items!                                | \$                 | \$- |
| <b>Delivery charge for other than Reno or Las Vegas (i.e. Ely) \$ by quote</b> |                    |     |



## Model Home

## Standard Equipment

## Ordering Info

- Equipment Groups
- PEG Stairstep

## - Interior

## - Exterior

## - Mechanical

## - Engine/Axles

## - Color and Trim

## - SEO/Ship Thru

## Dimensions

## Specs

## Wheels

## Trailer Specs

2022 Sierra/Denali 2500 HD

SPECS - Crew Cab

Crew Cab ▼

|  | TC20743<br>2WD Standard<br>Bed Crew Cab | TK20743<br>4WD Standard<br>Bed Crew Cab | TC20943<br>2WD Long<br>Bed Crew<br>Cab | TK20943<br>4WD Long<br>Bed Crew<br>Cab |
|--|---|---|--|--|
| <b>Specifications</b>  |   |   |  |  |
| Front shock absorber diameter, in. (mm)  | 2.01 (51)                               | 2.01 (51)                               | 2.01 (51)                              | 2.01 (51)                              |
| Front stabilizer bar diameter, in. (mm)  | 1.38 (35)                               | 1.38 (35)                               | 1.38 (35)                              | 1.38 (35)                              |
| Rear shock absorber diameter, in. (mm)   | 2.01 (51)                               | 2.01 (51)                               | 2.01 (51)                              | 2.01 (51)                              |
| Turning diameter, curb-to-curb, ft. (m)  | 52.7 (16.1)                             | 52.7 (16.1)                             | 57.0 (17.4)                            | 57.0 (17.4)                            |
| Turning diameter, curb-to-curb (with 20" or 22" wheels), ft. (m)                   | 52.7 (16.1)                             | 52.7 (16.1)                             | 57.0 (17.4)                            | 57.0 (17.4)                            |
| <b>Capacities</b>  |   |   |  |  |
| Curb weight (L8T engine), lbs. (kg) 17" wheels, lbs. (kg)                          | 6533 (2963)                             | 6824 (3095)                             | 6633 (3009)                            | 6922 (3140)                            |
| Curb weight (L8T engine), lbs. (kg) 18" or 20" wheels, lbs. (kg)                   | 6562 (2977)                             | 6852 (3108)                             | 6662 (3022)                            | 6950 (3153)                            |
| Curb weight, (L5P engine), lbs. (kg) 17" wheels, lbs. (kg)                         | 7430 (3370)                             | 7721 (3502)                             | 7597 (3446)                            | 7886 (3577)                            |
| Curb weight, (L5P engine), lbs. (kg) 18" or 20" wheels, lbs. (kg)                  | 7459 (3383)                             | 7749 (3515)                             | 7626 (3459)                            | 7915 (3590)                            |
| Cargo volume, cargo box, cu. ft. (liters)  | 69.5 (1968.2)                           | 69.5 (1968.2)                           | 83.5 (2364.7)                          | 83.5 (2364.7)                          |
| Payload, L8T, lbs. (kg) 17" wheels, lbs. (kg)                                      | 3579 (1623)                             | 3589 (1628)                             | 3629 (1646)                            | 3690 (1674)                            |
| Payload, L8T, lbs. (kg) 18" or 20" wheels, lbs. (kg)                               | 3751 (1701)                             | 3760 (1706)                             | 3800 (1724)                            | 3862 (1752)                            |
| Payload, L5P, lbs. (kg) 17" wheels, lbs. (kg)                                      | 3332 (1511)                             | 3391 (1538)                             | 3365 (1526)                            | 3426 (1554)                            |
| Payload, L5P, lbs. (kg) 18" or 20" wheels, lbs. (kg)                               | 3553 (1612)                             | 3563 (1616)                             | 3536 (1604)                            | 3597 (1632)                            |
| Gross Vehicle Weight Rating (GVWR), L8T, lbs. (kg) 17" wheels, lbs. (kg)           | 10150 (4604)                            | 10450 (4740)                            | 10300 (4672)                           | 10650 (4831)                           |
| Gross Vehicle Weight Rating (GVWR), L8T, lbs. (kg) 18" or 20" wheels, lbs. (kg)    | 10350 (4695)                            | 10650 (4831)                            | 10500 (4763)                           | 10850 (4922)                           |
| Gross Vehicle Weight Rating (GVWR), L5P, lbs. (kg) 17" wheels, lbs. (kg)           | 10800 (4899)                            | 11150 (5058)                            | 11000 (4990)                           | 11350 (5148)                           |
| Gross Vehicle Weight Rating (GVWR), L5P, lbs. (kg) 18" or 20" wheel, lbs. (kg)     | 11050 (5012)                            | 11350 (5148)                            | 11200 (5080)                           | 11550 (5239)                           |
| Front Gross Axle Weight Rating (GAWR), L8T, lbs. (kg) 17" wheels, lbs. (kg)        | 4400 (1996)                             | 4800 (2177)                             | 4800 (2177)                            | 5200 (2359)                            |
| Front Gross Axle Weight Rating (GAWR), L8T, lbs. (kg) 18" or 20" wheels, lbs. (kg) | 4400 (1996)                             | 4800 (2177)                             | 4800 (2177)                            | 5200 (2359)                            |
| Front Gross Axle Weight Rating (GAWR), L5P, lbs. (kg) 17" wheels, lbs. (kg)        | 5200 (2359)                             | 5600 (2540)                             | 5600 (2540)                            | 5600 (2540)                            |
| Front Gross Axle Weight Rating (GAWR), L5P, lbs. (kg) 18" or 20" wheels, lbs. (kg) | 5200 (2359)                             | 5600 (2540)                             | 5600 (2540)                            | 5600 (2540)                            |
| Rear Gross Axle Weight Rating (GAWR), lbs. (kg) 17" wheels, lbs. (kg)              | 6390 (2899)                             | 6390 (2899)                             | 6390 (2899)                            | 6390 (2899)                            |
| Rear Gross Axle Weight Rating (GAWR), lbs. (kg) 18" wheels, lbs. (kg)              | 6600 (2994)                             | 6600 (2994)                             | 6600 (2994)                            | 6600 (2994)                            |
| Fuel capacity, for gas engine, gallon (liters)                                     | 36 (136)                                | 36 (136)                                | 36 (136)                               | 36 (136)                               |

|   |          |          |          |          |
|---|----------|----------|----------|----------|
| Fuel capacity, for Diesel engine, gallon (liters) | 36 (136) | 36 (136) | 36 (136) | 36 (136) |
| Seating capacity                                  | 6        | 6        | 6        | 6        |





## Model Home

## Standard Equipment

## Ordering Info



- Equipment Groups
- PEG Stairstep
- Interior
- Exterior
- Mechanical
- Engine/Axles
- Color and Trim
- SEO/Ship Thru
- Dimensions
- Specs
- Wheels
- Trailer Specs

2022 Sierra/Denali 2500 HD

## DIMENSIONS - Crew Cab

All dimensions in inches (mm) unless otherwise stated.

Crew Cab



| Specifications |                                    | TC20743<br>2WD<br>Standard<br>Bed Crew<br>Cab | TK20743<br>4WD<br>Standard<br>Bed Crew<br>Cab | TC20943<br>2WD<br>Long Bed<br>Crew Cab | TK20943<br>4WD<br>Long Bed<br>Crew Cab |
|----------------|------------------------------------|---|---|--|--|
| A              | Wheelbase                          | 158.94<br>(4037)                              | 158.94<br>(4037)                              | 172<br>(4369)                          | 172<br>(4369)                          |
|                | Overall length                     | 250.08<br>(6352)                              | 250.08<br>(6352)                              | 266.09<br>(6759)                       | 266.09<br>(6759)                       |
| B              | Vehicle width                      | 81.85<br>(2079)                               | 81.85<br>(2079)                               | 81.85<br>(2079)                        | 81.85<br>(2079)                        |
|                | Overall height                     | 79.82<br>(2027)                               | 79.82<br>(2027)                               | 79.65<br>(2023)                        | 79.65<br>(2023)                        |
| D              | Head room, front                   | 43.03<br>(1093)                               | 43.03<br>(1093)                               | 43.03<br>(1093)                        | 43.03<br>(1093)                        |
|                | Head room, rear                    | 39.88<br>(1013)                               | 39.88<br>(1013)                               | 39.88<br>(1013)                        | 39.88<br>(1013)                        |
|                | Shoulder room, front               | 66.02<br>(1677)                               | 66.02<br>(1677)                               | 66.02<br>(1677)                        | 66.02<br>(1677)                        |
|                | Shoulder room, rear                | 65.3 (1659)                                   | 65.3 (1659)                                   | 65.3<br>(1659)                         | 65.3<br>(1659)                         |
|                | Hip room, front                    | 61.18<br>(1554)                               | 61.18<br>(1554)                               | 61.18<br>(1554)                        | 61.18<br>(1554)                        |
|                | Hip room, rear                     | 60.24<br>(1530)                               | 60.24<br>(1530)                               | 60.24<br>(1530)                        | 60.24<br>(1530)                        |
|                | Leg room, front                    | 44.53<br>(1131)                               | 44.53<br>(1131)                               | 44.53<br>(1131)                        | 44.53<br>(1131)                        |
|                | Leg room, rear                     | 43.4 (1102)                                   | 43.4 (1102)                                   | 43.4<br>(1102)                         | 43.4<br>(1102)                         |
| CA             | Cab to axle                        | 42.1 (1069)                                   | 42.1 (1069)                                   | 55.2<br>(1402)                         | 55.2<br>(1402)                         |
| ILF            | Inside length, at floor            | 82.2 (2088)                                   | 82.2 (2088)                                   | 98.27<br>(2496)                        | 98.27<br>(2496)                        |
|                | Inside height, box                 | 21 (533)                                      | 21 (533)                                      | 21 (533)                               | 21 (533)                               |
| IWF            | Inside width, between wheelhousing | 51.85<br>(1317)                               | 51.85<br>(1317)                               | 50.55<br>(1284)                        | 50.55<br>(1284)                        |
|                | Wall to Wall, box width            | 71.4 (1814)                                   | 71.4 (1814)                                   | 71.4<br>(1814)                         | 71.4<br>(1814)                         |
|                | Ground clearance                   | 10.12 (257)                                   | 10.12 (257)                                   | 10.08<br>(256)                         | 10.08<br>(256)                         |

Published dimensions indicated are without optional equipment or accessories. Additional accessories or equipment ordered at the customer's request can result in a minor change in these dimensions.